

ENOVA[®] AEROGEL FOR MATTE FINISH COATINGS FORMULATIONS

Enova aerogel is an innovative fine particle silica-based aerogel, highly treated to create a hydrophobic material with an extremely large surface area. Combined with its high porosity and complete treatment, its unique chemistry makes Enova aerogel an ideal solution for a variety of low gloss and light diffusion formulations, including 100% UV-curable systems. As a global leader providing solutions for over 130 years, Cabot partners with customers to deliver advanced products that address tomorrow's challenges.

Enova aerogel provides a wide range of benefits for matte finish coatings:

- Unmatched compatibility with resins and solvents
 - Standard incorporation methods
 - Superior dispersion uniformity
 - High transparency, clarity
 - Greater formulation flexibility
- Highly efficient matting at exceptionally low loading (<3%)
 - Reduced coating formulation cost
 - Increased freedom to incorporate other performance additives
 - No anti-settling additives needed
- Long coating lifetime in exterior applications
- Minimal moisture adsorption
- Long storage shelf life
- Limitless application possibilities
- Enables reduced-VOC formulations

Enova aerogel delivers substantial performance advantages in matting applications:

- Advanced rheology modification
- Enhanced oil absorption
- Extreme hydrophobicity
- High porosity
- Unmatched light diffusion

ENOVA® AEROGEL FOR MATTE FINISH COATINGS FORMULATIONS

Enova aerogel represents a new class of hydrophobic silica particles distinguished by:


- Porosity - 2-4x higher than traditional silicas
- Surface area - 2-5x higher than traditional silicas
- Surface chemistry
- Morphology
- Coating clarity

Unique combinations of these characteristics create opportunities to improve performance in a variety of coatings applications.

Silica Blending

Certain formulations will benefit from a blending of Enova aerogel with other silica-based matting agents or waxes, often in a 1:3 to 1:5 ratio.

Contact us for more information including specific coatings formulations.



* Measurement method:

- Coating thickness 1mil
- Gloss measured at 60° with micro-TRI-gloss meter
- Viscosity measured with TA instruments AR2000ex rheometer at 1/10s shear rate, 4mm plate
- Enova blend is a mix of Enova aerogel and silica gel

Exclusive Attributes

| | |
|--------------------------|---------------------------|
| PARTICLE SIZE | 7-11 microns (d50) |
| SURFACE AREA | 700-800 m ² /g |
| TAP DENSITY | 30-45 kg/m ³ |
| SURFACE TREATMENT | >99% surface coverage |



cabotcorp.com

NORTH AMERICA

Cabot Corporation Business and Technical Center
157 Concord Road
Billerica, MA 01821-7001 USA
TEL 800 462 2313
FAX +1 978 670 7035

EUROPE

Cabot Specialty Chemicals
Interleuvenlaan 15 i
3001 Leuven, BELGIUM
TEL +32 16 39 24 51
TEL +32 16 39 24 13
FAX +32 16 39 24 44

ASIA PACIFIC

Cabot China Ltd.
558 Shuangbai Road
Shanghai 201108, CHINA
TEL +86 21 5175 8800
FAX +86 21 6434 5532

JAPAN

Cabot Specialty Chemicals, Inc.
Sumitomo Chiba-Daimon Idg. 3 F
2-5-5 Shiba Daimon, Minato-ku,
Tokyo 105-0012, JAPAN
TEL +81 3 6820 0255
FAX +81 3 5425 4500

This information is provided as a convenience and for informational purposes only. No guarantee or warranty as to this information, or any product to which it relates, is given or implied. Cabot disclaims all warranties express or implied, including merchantability or fitness for a particular purpose as to (i) such information, (ii) any product or (iii) intellectual property infringement. In no event is Cabot responsible for, and Cabot does not accept and hereby disclaims liability for, any damages whatsoever in connection with the use of or reliance on this information or any product to which it relates.

Enova aerogel is a registered trademark of Cabot Corporation.

©2013 Cabot Corporation. All rights reserved worldwide.